

### Listing of Claims

- A
1. (original) A method of organizing a search for a service provider in a wireless device storing location information, the method comprising:  
at power down of the wireless device, erasing at least part of the location information.
2. (original) The method of claim 1, wherein erasing at least part of the location information further comprises erasing location information associated with a service provider.
3. (original) The method of claim 2, wherein erasing at least part of the location information further comprises erasing location information associated with a most recently used service provider.
4. (original) The method of claim 1, wherein the wireless device is a global system for mobile communications device.
5. (original) The method of claim 4, wherein the wireless device has a subscriber identity module.
6. (original) The method of claim 1, wherein erasing at least part of the location information further comprises erasing location information from a subscriber identity module.
7. (original) The method of claim 6, wherein all the location information is erased from the subscriber identity module.
8. (original) The method of claim 1, wherein erasing at least part of the location information is performed by a program stored on a subscriber identity module.
9. (original) The method of claim 1, wherein erasing at least part of a location information is performed by a wireless network transmitting a signal to the wireless device.
- Sub B1

10. (amended) A The method of claim 40, further comprising ~~organizing a search for a service provider in a wireless device storing location information, the method comprising:~~  
at power up of the wireless device, erasing at least part of the location information.

12. (original) The method of claim 10, wherein erasing at least part of the location information further comprises erasing location information associated with a service provider.

A 13. (original) The method of claim 12, wherein erasing at least part of the location information further comprises erasing location information associated with a most recently used service provider.

14. (original) The method of claim 10, wherein the wireless device is associated with a global system for mobile communications.

15. (original) The method of claim 14, wherein the wireless device uses a subscriber identity module.

16. (original) The method of claim 10, wherein erasing at least part of the location information further comprises erasing location information from a subscriber identity module.

17. (original) The method of claim 16, wherein all the location information is erased from the subscriber identity module.

18. (original) The method of claim 10, wherein erasing at least part of the location information is performed by a program stored on a subscriber identity module.

19. (original) The method of claim 10, wherein erasing at least part of a location information is performed by a wireless network transmitting a signal to the wireless device.

20-39. (canceled)

A 40. (new) A method of organizing a search for a service provider in a wireless device storing  
location information, comprising:  
B  
at power up or power down of the wireless device, erasing at least part of the location  
information.

---